



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/817,380	04/01/2004	Arul Thangaraj	15466US02	2884
23446 7590 10/15/2008 MCANDREWS HELD & MALLOY, LTD 500 WEST MADISON STREET SUITE 3400 CHICAGO, IL 60661				
EXAMINER				
ROBERTS, JESSICA M				
ART UNIT		PAPER NUMBER		
2621				
MAIL DATE		DELIVERY MODE		
10/15/2008		PAPER		

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

### Office Action Summary

**Application No.**

10/817,380

**Applicant(s)**

THANGARAJ ET AL.

**Examiner**

JESSICA ROBERTS

**Art Unit**

2621

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 02 September 2008.  
2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.  
3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-15 is/are pending in the application.  
4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.  
5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.  
6) ☒ Claim(s) 1-15 is/are rejected.  
7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.  
8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.  
10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).  
11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
a) ☐ All b) ☐ Some \* c) ☐ None of:  
1. ☐ Certified copies of the priority documents have been received.  
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.  
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☒ Notice of References Cited (PTO-892)  
2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)  
3) ☐ Information Disclosure Statement(s) (PTO/CDC)  
4) ☐ Interview Summary (PTO-413)  
5) ☐ Notice of Informal Patent Application  
6) ☐ Other: \_\_\_\_\_  
Paper No(s)/Mail Date \_\_\_\_\_

### **DETAILED ACTION**

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 09/02/2008 has been entered.

### ***Status of the Claims***

2. Claims **1-15** are currently ***pending***, claims **16-18** have been ***cancelled***.

### ***Response to Arguments***

3. As to applicants argument regarding Sugiyama merely describes the stream, without any reference to how the stream is stored in memory, the foregoing does not teach "a start code starting at a byte in a middle portion of a data word in a memory".

The examiner respectfully disagrees.

As shown in Fig.13A, in each of higher layers from the sequence layer to the picture layer, each code boundary is byte assigned, [0119] and fig. 13A.

Sugiyama teaches fig. 14 is a schematic diagram showing a real example of a header of an MPEG stream according to a first embodiment, [0052]. Further disclosed is that a stream that is output from the selector 306 is temporally written to a memory 307 and a memory 313. The variable length code encoder (VLC) 308 controls the addresses of the stream written in the memory 307 so as to convert the stream into an MPEG stream, [0277]. Since Sugiyama discloses the stream can be written in the memory and

the VLC controls the address of the stream, it is clear to the examiner that Sugiyama discloses the stream is written to an address in memory. Therefore, since Sugiyama discloses the start codes are byte assigned and the streams can be written in the memory and VLC controls the address of the stream, it is clear to the examiner Sugiyama disclose the writing a start code in the middle portion of a data word in memory.

As to applicants argument regarding there is no teaching of "fetching data from the memory starting from the byte in the middle portion of the data word".

The examiner respectfully disagrees. The combination of Malladi and Sugiyama as a whole teach "fetching data from the memory starting from the byte in the middle portion of the data word".

Malladi teaches writing a starting address associated with the byte in a table (writing to a start code table, column 4 line 25-30) and fetching data from the memory starting from the byte (One the start code table has the identifying time stamp information, a CPU will periodically poll the start code table by communicating through a BIU that is connected to CPU BUS, and is connected to a BIU associated with the stream interface, column 15 line 39-41). Sugiyama teaches writing the start code to a middle of a data word (As shown in Fig.13A, in each of higher layers from the sequence layer to the picture layer, each code boundary is byte assigned, [0119] and fig. 13A. Sugiyama teaches fig. 14 is a schematic diagram showing a real example of a header of an MPEG stream according to a first embodiment, [0052]. Further disclosed is that a stream that is output from the selector 306 is temporally written to a memory 307 and a

memory 313. The variable length code encoder (VLC) 308 controls the addresses of the stream written in the memory 307 so as to convert the stream into an MPEG stream, [0277]. Since Sugiyama discloses the stream can be written in the memory and the VLC controls the address of the stream, it is clear to the examiner that Sugiyama discloses the stream is written to an address in memory).

Therefore, since Sugiyama discloses the start codes are byte assigned and the streams can be written in the memory and VLC controls the address of the stream, it is clear to the examiner Sugiyama disclose the writing a start code in the middle portion of a data word in memory.

Since Malladi writes and fetches (polls) to the start code table, which would include the address (or location) of the start code and Sugiyama writes the start code to a middle portion of the data word, it is clear to the examiner, that Malladi (modified by Sugiyama) fully capable of fetching the start code from the byte in the middle of the data word, which reads upon the claimed limitation.

***Claim Rejections - 35 USC § 103***

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 1-13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Malladi et al., US-5, 815,206 in view of Sugiyama et al., US-2003/00009722.

Regarding claim 1, Malladi teaches A method for decoding video data, said method comprising: writing a starting address associated with the byte in a table (column 4 line 25-29 and fig. 4); and fetching data from the memory starting from the byte (column 15 line 39-41 and fig. 4). Malladi is silent in regard to writing a start code starting at a byte in a middle portion of a data word in a memory; and fetching data from the memory starting from the byte in the middle portion of the data word. However, Sugiyama teaches to writing a start code starting at a byte in a middle portion of a data word in a memory (Sugiyama teaches fig. 14 is a schematic diagram showing a real example of a header of an MPEG stream according to a first embodiment, [0052]. Further disclosed is that a stream that is output from the selector 306 is temporally written to a memory 307 and a memory 313. The variable length code encoder (VLC) 308 controls the addresses of the stream written in the memory 307 so as to convert the stream into an MPEG stream, [0277]. Since Sugiyama discloses the stream can be written in the memory and the VLC controls the address of the stream, it is clear to the examiner that Sugiyama discloses the stream is written to an address in memory. Therefore, since Sugiyama discloses the start codes are byte assigned and the streams can be written in the memory and VLC controls the address of the stream, it is clear to the examiner Sugiyama disclose the writing a start code in the middle portion of a data

word in memory, reading upon the claimed limitation); and fetching data from the memory starting from the byte in the middle portion of the data word (Sugiyama teaches writing the start code to a middle portion of a data word, (Sugiyama teaches fig. 14 is a schematic diagram showing a real example of a header of an MPEG stream according to a first embodiment, [0052]. Further disclosed is that a stream that is output from the selector 306 is temporally written to a memory 307 and a memory 313. The variable length code encoder (VLC) 308 controls the addresses of the stream written in the memory 307 so as to convert the stream into an MPEG stream, [0277]). Malladi teaches writing a starting address associated with the byte in the table (writing to a start code table, column 4 line 25-30) and fetching data from the memory starting from the byte (once the start code table has the identifying stamp information, a CPU will periodically poll the start code table by communicating through a BIU that is connected with stream interface, column 15 line 39-41)).

Since Malladi writes and fetches (polls) to the start code table, which would include the address (or location) of the start code and Sugiyama writes to the start code to a middle portion of the data word, it is clear to the examiner that Malladi (modified by Sugiyama) is fully capable of fetching the start code from the byte in the middle of the data word, which reads upon the claimed limitation.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine the teachings of Malladi with Sugiyama to provide a stream processing apparatus that stably operates even if an invalid VLC that is not

contained in a VLC table that is referenced when the VLC is decoded is input to a system that handles an MPEG stream (Sugiyama, [0032]).

Regarding claim 2, the combination of Malladi and Sugiyama as a whole teaches everything claimed as applied above (see claim 1). In addition, Malladi teaches wherein the start code is associated with a slice (Malladi, column 8 line 32-34).

Regarding claim 3, the combination of Malladi and Sugiyama as a whole teach everything claimed as applied above (see claim 1). Sugiyama further teaches wherein the data word comprises at least 16 bytes (Sugiyama, fig. 14). Therefore, it would have been obvious for one of ordinary skill in the art at the time of the invention to combine the teaching of Malladi with Sugiyama's teaching of a data word of at least 16 bytes to provide a stream processing apparatus that stably operates even if an invalid VLC that is not contained in a VLC table that is referenced when the VLC is decoded is input to a system that handles an MPEG stream (Sugiyama, [0032]).

Regarding claim 4, the combination of Malladi and Sugiyama as a whole further teach writing another start code to another byte (Malladi teaches more than one start code, column 10 line 63-65) in a middle portion of another data word in the memory (Sugiyama, fig. 14); writing another address associated with the another byte in the table (Malladi, column 10 line 60-67); and wherein fetching data from the memory starting from the byte further comprises: fetching data from the memory starting from the byte and ending with a byte preceding the another byte (Malladi, column 15 line 39-41). It would be obvious that the system as disclosed by Malladi would be fully capable of fetching data from the memory starting from the byte and ending with a byte



preceding the another byte, as the system checks for another start code (column 10 line 66-67), and if there is no start code, the process simply returns to decoding macroblocks as indicated (column 11 line 1-2). Further, the examiner notes that the byte at the end of the start code would be the byte preceding another start code.

Regarding claim 5, the combination of Malladi and Sugiyama as a whole further teaches looking up the address in the table (Malladi teaches writing to the start code table, column 4 line 25-29. The examiner notes that since Malladi teaches writing to the start code table, it is clear that in order for Malladi to use the start codes, it would necessitate looking up the address from the start code table).

Regarding claim 6, the combination of Malladi and Sugiyama as a whole further teaches where looking up the another address in the table (Malladi teaches writing to the start code table, column 4 line 25-29. The examiner notes that since Malladi teaches writing to the start code table, it is clear that in order for Malladi to use the start codes, it would necessitate looking up the address from the start code table).

Regarding claim 7, Malladi teaches system for decoding video data (abstract and column 1 line 24-26), said system comprising: a memory comprising a plurality of data words (Malladi, start code table, fig. 4), for storing a start code (fig. 4); a table for storing a starting address associated with the byte (Malladi, fig. 4); and a direct memory access module for providing data from the memory starting from the starting address (Malladi, column 21-24). Malladi is silent in regards to the start code starting at a byte in a middle portion of a particular one of the data words; the starting address in the middle portion of the data word. However, Sugiyama teaches the start code starting at a byte in a

middle portion of a particular one of the data words (fig. 14); the starting address in the middle portion of the data word (Sugiyama teaches fig. 14 is a schematic diagram showing a real example of a header of an MPEG stream according to a first embodiment, [0052]. Further disclosed is that a stream that is output from the selector 306 is temporally written to a memory 307 and a memory 313. The variable length code encoder (VLC) 308 controls the addresses of the stream written in the memory 307 so as to convert the stream into an MPEG stream, [0277]). Malladi teaches writing a starting address associated with the byte in the table (writing to a start code table, column 4 line 25-30) and fetching data from the memory starting from the byte (once the start code table has the identifying stamp information, a CPU will periodically poll the start code table by communicating through a BIU that is connected with stream interface, column 15 line 39-41)).

Since Malladi writes and fetches (polls) to the start code table, which would include the address (or location) of the start code and Sugiyama writes to the start code to a middle portion of the data word, it is clear to the examiner that Malladi (modified by Sugiyama) is fully capable of the starting the address in the middle portion of the data word.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine the teachings of Malladi with Sugiyama to provide a stream processing apparatus that stably operates even if an invalid VLC that is not contained in a VLC table that is referenced when the VLC is decoded is input to a system that handles an MPEG stream (Sugiyama, [0032]).

Regarding claim 8, the combination of Malladi and Sugiyama as a whole teaches everything claimed as applied above (see claim 7). In addition, Malladi teaches a video transport processor (Malladi, fig. 4:417) for writing the start code starting at a byte in a middle portion of the particular data word in the memory (Sugiyama, fig. 14).

Regarding claim 9, the combination of Malladi and Sugiyama as a whole teaches everything claimed as applied above (see claim 7). In addition, Malladi wherein the start code is associated with a slice (Malladi, start code, column 8 line 32-34 and fig. 1A).

Regarding claim 10, Malladi and Sugiyama as a whole teaches everything claimed above (see claim 7). Malladi is silent in regards to the data word comprises at least 16 bytes.

However, Sugiyama teaches the data word comprises at least 16 bytes (Sugiyama, fig. 14).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine the teaching of Malladi with Sugiyamas' teaching of the data word comprising at least of 16 bytes to provide a stream processing apparatus that stably operates even if an invalid VLC that is not contained in a VLC table that is referenced when the VLC is decoded is input to a system that handles an MPEG stream (Sugiyama, [0032]).

Regarding claim 11, the combination of Malladi and Sugiyama as a whole further teaches wherein the video transport processor (Malladi, fig. 4:417) writes another start code (Malladi, teaches more than one start code, column 10 line 63-65) in the memory

and wherein the table stores another address associated with the another byte in the table (Malladi, start code table, fig. 4) and wherein the direct memory access module fetches data from the memory starting from the byte and ending with a byte preceding the another byte (Malladi, column 15 line 39-41. It would be clear that the system as disclosed by Malladi would be fully capable of fetching data from the memory starting from the byte and ending with a byte preceding the another byte, as the system checks for another start code (column 10 line 66-67), and if there is no start code, the process simply returns to decoding macroblocks as indicated (column 11 line 1-2). Further, it is clear that the byte at the end of the start code would be the byte preceding another start code). Malladi is silent in regards to another byte in a middle portion of another data word.

However, Sugiyama teaches another byte in a middle portion of another data word (Sugiyama, fig. 14)

Therefore, it would be obvious to one of ordinary skill in the art at the time of the invention to combine the teachings of Malladi with Sugiyamas' teaching of a start code in the middle of a data word to provide a stream processing apparatus that stably operates even if an invalid VLC that is not contained in a VLC table that is referenced when the VLC is decoded is input to a system that handles an MPEG stream (Sugiyama, [0032]).

Regarding claim 12, the combination of Malladi and Sugiyama as a whole teaches everything claimed as applied above (see claim 7). In addition Malladi teaches

a master processor for looking up the address in the table (Malladi, column 15 line 38-42).

Regarding claim 13, the combination of Malladi and Sugiyama as a whole teaches everything claimed as applied above (see claim 7). In addition Malladi wherein the master processor looks up the another address in the table (Malladi, teaches writing more than one start code, column 10 line 60-67. The examiner notes, since Malladi writes more than one start code, and it polls the entire start code table, it is clear that more than one address is looked up, Malladi, column 15 lines 38-42).

Claims 14-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Malladi et al., US-5, 815,206 in view of Sugiyama et al., US- 2003/00009722 and in further view of Son et al., US-5, 898,897.

Regarding claim 14, The system of claim 7, wherein the direct memory access module (Malladi, column 21-24) further comprises: a buffer comprising a plurality of data words for storing the video data from the starting address (Malladi, Malladi discloses where the parameters are loaded into a predefined memory location, column 7 line 63 to column 8 line 1-8. Further, Malladi discloses this process is done for multiple start codes, column 8 line 15-42); the first masking register (Malladi, column 3 line 65 to column 4 line 1-5); a first masking register (Malladi, column 3 line 65 to column 4 line 1-5). Malladi is silent in regards to a plurality of bytes corresponding to byte positions of the data words (Sugiyama, the slice start code contains the vertical position, [¶0110]. Further, Sugiyama discloses that each code boundary is byte assigned, and in the slice layer only the slice start code is byte assigned [¶0019]. The examiner notes that since

each code word code is byte assigned, it would be obvious that the code words would include the byte positions); a byte position that is less than the four least significant bits of the starting address are loaded with a first value and wherein each byte of the plurality of bytes in the first mask register that corresponds to a byte position that is equal or greater than the four least significant bits of the starting address are load with a second value (Sugiyama, ¶10359). Since Malladi discloses loading of parameters column 7 line 63 to column 8 line 1-8, and Sugiyama discloses the vertical position information ranges from [00 00 01 01] to [00 00 01 AF], the combination of Malladi and Sugiyama as a whole would be fully capable of loading a first and second address to a register or memory dependent upon the least significant bits). The combination of Malladi and Sugiyama as a whole are silent in regards to a first masking register for discarding a portion of a first data structure that precedes the starting address; a state machine for loading the first masking register. However, Son discloses a first masking register for discarding a portion of a first data structure that precedes the starting address (Son, column 8 line 53-56); a state machine (Son, fig. 3:307) for loading the first masking register with a pattern wherein each byte of the plurality of bytes in the first mask register (Son, column 10 line 30-40). Therefore, it would have been obvious for one of ordinary skill in the art at the time of the invention to combine the teachings of Malladi and Sugiyama with the teachings of Son for providing detection of signal features such as a start code in a bit stream that may be formatted in accordance with any of a plurality of formatting standards.

Regarding claim 15, the combination of Malladi, Sugiyama and Son as a whole teaches everything as claimed above (see claim 7). In addition Malladi teaches an arithmetic logic unit for performing a logical AND operation between a first one of the plurality of data words in the buffer and the first masking register (Malladi, column 9 line 48-51. The examiner notes that an ALU has been able to perform both the logical operation of AND/OR on the chip level).

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JESSICA ROBERTS whose telephone number is (571)270-1821. The examiner can normally be reached on 7:30-5:00 EST Monday-Friday, Alt Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Marsha D. Banks-Harold can be reached on (571) 272-7905. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Marsha D. Banks-Harold/  
Supervisory Patent Examiner, Art Unit 2621  
/Jessica Roberts/  
Examiner, Art Unit 2621